

GLITTER BODY ART

SAFETY DATA SHEET

INKATOO Tattoo INK

In compliance with the chemicals (Hazard Information and Packaging for Supply Regulations 1994)

Date: 08.08.2022

1. **PRODUCT NAME:** Inkatoo

2. **PRODUCT DESCRIPTION:** Temporary Tattoo Ink

3. **COMPANY DETAILS:**

Unit 44 Tondu Enterprise Centre, Bryn Road, Bridgend, CF32 9BS

Email: <u>Glitterbodyart@hotmail.com</u>

Telephone: 01656 720812

4. **INGREDIENTS INFORMATION:**

Alcohol, Caster Oil, Ethyl Cellulose, Shellec

Iron Oxides, Titanium Dioxide

5. HAZARD IDENFICATION

Irritating to eye. Do not discharged waste into environment.

6. FIRST AID MEASURES

After Inhalation – Remove to fresh air, Seek Medical Attention.

After swallowing – Drink warm water, Seek Medical Attention.

After eye contact – Rinse with water immediately, Seek Medical Attention.

7. FIRE FIGHTING MEASURES

Extinguishing Media – Alcohol Resistant Foam, Extinguishing Powder, Co2

Recommendations: Fire fighting procedures, General Fire Hazards

8. ACCIDENTAL RELEASE MEASURE

Environmental Protection -Do not allow to enter drains

Person-related safety precautions – Avoid contact with eyes. Ventilate area.

9. STORAGE

Close operation. Avoid dust release. Store in a cool dry and well-ventilated area. Keep away from ignition courses and high heat. Keep away from children. Warehouse should be equipped with release emergency handling equipment

10. EXPOSURE CONTROL

Hand protection - None required

Eye Protection - Safety Glasses recommended

Skin Protection - None required

11. PHYSICAL AND CHEMICAL PROPERTIES

Sweet Scented – Black in Colour - Insoluble in water

12. STABILITY AND REACTIVITY

Stable under normal temperatures and pressure. No dangerous decomposition known.

13. TOXICIOLOGICAL INFORMATION

No hazards identified.

14. DISPOSAL CONSIDERATIONS

DO NOT discharged waste into environment at random. Disposal should be in accordance with local environment control laws.

15. TRANSPORT INFORMATION

Packaging should be complete and loading should be stabled before shipping. The carrier vehicle should be equipment with corresponding fire-fighting equipment and leakage emergency treatment apparatus. Avoid exposure to rain and high temperature.

16 REGULATORY INFORMATION

European/International Regulations